ELSEVIER

Brain Research 763 (1997) 289–290

BRAIN RESEARCH

Author Index

Abe, K., Setoguchi, Y., Hayashi, T. and Itoyama, Y.
In vivo adenovirus-mediated gene transfer and the expression in ischemic and reperfused rat brain (763) 191
Adams, R.N., see Oke, A.F. (763) 69
Aizono, Y., Endo, Y., Sattelle, D.B. and Shirai, Y.
Prothoracicotropic hormone-producing neurosecretory cells in the silkworm, *Bombyx mori*, express a muscarinic acetylcholine receptor (763) 131
Alantar, A., Azérad, J., Limoge, A., Robert, C., Rokyta, R. and Pollin, B.
Potentiation of fentanyl suppression of the jaw-opening reflex by transcranial electrical stimulation (763) 14
Altschuler, S.M., see Broussard, D.L. (763) 123
Anand, P., see Duberley, R.M. (763) 259
Anwar, M., see Ruggiero, D.A. (763) 21
Azérad, J., see Alantar, A. (763) 14

Becker, A., Krug, M. and Schröder, H.
Strain differences in pentylenetetrazol-kindling development and subsequent potentiation effects (763) 87
Bickford, P.C., see Diao, L.H. (763) 276
Bonkale, W.L., Cowburn, R.F., Winblad, B. and Fastbom, J.
Autoradiographic characterization of [^{3}H]cGMP binding sites in the rat brain (763) 1
Broussard, D.L., Li, H. and Altschuler, S.M.
Colocalization of $GABA_A$ and NMDA receptors within the dorsal motor nucleus of the vagus nerve (DMV) of the rat (763) 123
Brüggemann, J., see Horn, A.C. (763) 47
Buzás, P., see Völgyi, B. (763) 79

Cairns, N.J., see Duberley, R.M. (763) 259
Camacho, M.A., see Pacheco, P. (763) 202
Carlton, S.M. and Coggeshall, R.E.
Immunohistochemical localization of 5-HT_{2A} receptors in peripheral sensory axons in rat glabrous skin (763) 271
Carrillo, P., see Pacheco, P. (763) 202
Carver, L.A., see Oke, A.F. (763) 69
Castagnoli, N., see Fasciano, J. (763) 182
Cataldo, A., see Grynspan, F. (763) 145
Cheng, C., see Singhal, A. (763) 209
Cline, E.J., see Diao, L.H. (763) 276
Coggeshall, R.E., see Carlton, S.M. (763) 271
Cowburn, R.F., see Bonkale, W.L. (763) 1

De Cristofaro, A., see Josselyn, S.A. (763) 93
De Freitas, M.S., see De Mattos-Dutra, A. (763) 221
De Mattos-Dutra, A., De Freitas, M.S., Schröder, N., Zilles, A.C., Wajner, M. and Pessoa-Pureur, R.
Methylmalonic acid reduces the in vitro phosphorylation of cytoskeletal proteins in the cerebral cortex of rats (763) 221
Diao, L.H., Bickford, P.C., Stevens, J.O., Cline, E.J. and Gerhardt, G.A.
Caloric restriction enhances evoked DA overflow in striatum and nucleus accumbens of aged Fischer 344 rats (763) 276
Di Lorenzo, P.M. and Monroe, S.
Transfer of information about taste from the nucleus of the solitary tract to the parabrachial nucleus of the pons (763) 167
Duberley, R.M., Johnson, I.P., Anand, P., Leigh, P.N. and Cairns, N.J.
Immunocytochemical studies of neurotrophins in cerebral motor cortex in Amyotrophic Lateral Sclerosis (763) 259

Ellisman, M.H., see Yoder, E.J. (763) 288
Endo, Y., see Aizono, Y. (763) 131

Fasciano, J., Steele, T., Castagnoli, N., Katz, J. and Ricaurte, G.
The effect of *N*-methylation on fenfluramine's neurotoxic and pharmacologic actions (763) 182
Fastbom, J., see Bonkale, W.L. (763) 1
Fitzpatrick, M., see Horsburgh, K. (763) 103
Fukuda, H. and Koga, T.
Most inspiratory neurons in the pre-Bötzinger complex are suppressed during vomiting in dogs (763) 30
Fukuda, T., see Irifune, M. (763) 281

Gábriel, R., see Völgyi, B. (763) 79
García, L.I., see Pacheco, P. (763) 202
Gerhardt, G.A., see Diao, L.H. (763) 276
Gilmore, S.A., see Sims, T.J. (763) 141
Gootman, N., see Ruggiero, D.A. (763) 21
Gootman, P.M., see Ruggiero, D.A. (763) 21
Gouvion, C.M., see Oke, A.F. (763) 69
Griffin, W.R., see Grynspan, F. (763) 145
Grynspan, F., Griffin, W.R., Cataldo, A., Katayama, S. and Nixon, R.A.
Active site-directed antibodies identify calpain II as an early-appearing and pervasive component of neurofibrillary pathology in Alzheimer's disease (763) 145

Hanamori, T., Kunitake, T., Kato, K. and Kannan, H.
Convergence of afferent inputs from the chorda tympani, lingual-tonsillar and pharyngeal branches of the glossopharyngeal nerve, and superior laryngeal nerve on the neurons in the insular cortex in rats (763) 267
Hashimoto, K., see Tomitaka, S.-i. (763) 255
Hayashi, T., see Abe, K. (763) 191
Hernández, M.E., see Pacheco, P. (763) 202
Heumann, R., see Leßmann, V. (763) 111
Hilliard, S., see Kozlowski, D.A. (763) 159
Horn, A.C., Vahle-Hinz, C., Petersen, M., Brüggemann, J. and Kniffki, K.-D.
Projections from the renal nerve to the cat's lateral somatosensory thalamus (763) 47
Horsburgh, K., Fitzpatrick, M., Nilsen, M. and Nicoll, J.A.R.
Marked alterations in the cellular localisation and levels of apolipoprotein E following acute subdural haematoma in rat (763) 103

Irifune, M., Fukuda, T., Nomoto, M., Sato, T., Kamata, Y., Nishikawa, T., Mietani, W., Yokoyama, K., Sugiyama, K. and Kawahara, M.
Effects of ketamine on dopamine metabolism during anesthesia in discrete brain regions in mice: comparison with the effects during the recovery and subanesthetic phases (763) 281
Itoyama, Y., see Abe, K. (763) 191

Johnson, I.P., see Duberley, R.M. (763) 259
Joseph, J.A., see Zhang, L. (763) 264
Josselyn, S.A., De Cristofaro, A. and Vaccarino, F.J.
Evidence for CCK_A receptor involvement in the acquisition of conditioned activity produced by cocaine in rats (763) 93

Kamata, Y., see Irifune, M. (763) 281
Kannan, H., see Hanamori, T. (763) 267
Kaplan, G.B. and Leite-Morris, K.A.
Up-regulation of adenosine transporter-binding sites in striatum and hypothalamus of opiate tolerant mice (763) 215
Katayama, S., see Grynspan, F. (763) 145
Kato, K., see Hanamori, T. (763) 267
Katz, J., see Fasciano, J. (763) 182
Kawahara, H., see Van Gaalen, M. (763) 56
Kawahara, M., see Irifune, M. (763) 281

Kawahara, Y., see Van Gaalen, M. (763) 56
Kim, J., see Ruggiero, D.A. (763) 21
Kirkman, E., see Ohnishi, M. (763) 39
Kniffki, K.-D., see Horn, A.C. (763) 47
Koga, T., see Fukuda, H. (763) 30
Kozlowski, D.A., Hilliard, S. and Schallert, T.
Ethanol consumption following recovery from unilateral damage to the forelimb area of the sensorimotor cortex: reinstatement of deficits and prevention of dendritic pruning (763) 159
Krug, M., see Becker, A. (763) 87
Kunitake, T., see Hanamori, T. (763) 267
Kustka, A., see Stefano, G.B. (763) 63

Leigh, P.N., see Duberley, R.M. (763) 259
Leite-Morris, K.A., see Kaplan, G.B. (763) 215
Leßmann, V. and Heumann, R.
Cyclic AMP endogenously enhances synaptic strength of developing glutamatergic synapses in serum-free microcultures of rat hippocampal neurons (763) 111
Li, H., see Broussard, D.L. (763) 123
Li, R. and Sakaguchi, H.
Cholinergic innervation of the song control nuclei by the ventral paleostriatum in the zebra finch: a double-labeling study with retrograde fluorescent tracers and choline acetyltransferase immunohistochemistry (763) 239
Limoge, A., see Alantar, A. (763) 14
Little, R.A., see Ohnishi, M. (763) 39
Longo, L.D., see Saito, K. (763) 232

Manzo, J., see Pacheco, P. (763) 202
Marshall, H.W., see Ohnishi, M. (763) 39
Matsuyama, S., Namgung, U. and Routtenberg, A.
Long-term potentiation persistence greater in C57BL/6 than DBA/2 mice: predicted on basis of protein kinase C levels and learning performance (763) 127
Mietani, W., see Irifune, M. (763) 281
Minabe, Y., see Tomitaka, S.-i. (763) 255
Miyamoto, A., Yamamoto, T., Ohno, M. and Watanabe, S.
Desensitization of Fos protein induction in rat striatum and nucleus accumbens following repeated administration of Δ^9-tetrahydrocannabinol (763) 137
Monroe, S., see Di Lorenzo, P.M. (763) 167
Motokizawa, F. and Ogawa, Y.
Discharge properties of mitral/tufted cells in the olfactory bulb of cats (763) 285

Namgung, U., see Matsuyama, S. (763) 127
Narita, N., see Tomitaka, S.-i. (763) 255
Neenan, K., see Stefano, G.B. (763) 63
Nicoll, J.A.R., see Horsburgh, K. (763) 103
Nilsen, M., see Horsburgh, K. (763) 103
Nishikawa, T., see Irifune, M. (763) 281
Nixon, R.A., see Grynspan, F. (763) 145
Nomoto, M., see Irifune, M. (763) 281

Ogawa, Y., see Motokizawa, F. (763) 285
Ohnishi, M., Kirkman, E., Marshall, H.W. and Little, R.A.
Morphine blocks the bradycardia associated with severe hemorrhage in the anesthetized rat (763) 39
Ohno, M., see Miyamoto, A. (763) 137
Oke, A.F., Carver, L.A., Gouvion, C.M. and Adams, R.N.
Three-dimensional mapping of norepinephrine and serotonin in human thalamus (763) 69

Pacheco, P., Camacho, M.A., García, L.I., Hernández, M.E., Carrillo, P. and Manzo, J.
Electrophysiological evidence for the nomenclature of the pudendal nerve and sacral plexus in the male rat (763) 202
Packianathan, S., see Saito, K. (763) 232
Pessoa-Pureur, R., see De Mattos-Dutra, A. (763) 221
Petersen, M., see Horn, A.C. (763) 47
Petrovich, G.D. and Swanson, L.W.
Projections from the lateral part of the central amygdalar nucleus to the postulated fear conditioning circuit (763) 247
Pollák, E., see Völgyi, B. (763) 79
Pollin, B., see Alantar, A. (763) 14
Pope, M.E., see Stefano, G.B. (763) 63
Pryor, S., see Stefano, G.B. (763) 63

Rialas, C.M., see Stefano, G.B. (763) 63
Ricaurte, G., see Fasciano, J. (763) 182
Robert, C., see Alantar, A. (763) 14
Rokyta, R., see Alantar, A. (763) 14
Roth, G.S., see Zhang, L. (763) 264
Routtenberg, A., see Matsuyama, S. (763) 127
Ruggiero, D.A., Anwar, M., Kim, J., Sica, A.L., Gootman, N. and Gootman, P.M.
Induction of *c-fos* gene expression by spinal cord transection in the rat (763) 21

Saito, K., Packianathan, S. and Longo, L.D.
Free radical-induced elevation of ornithine decarboxylase activity in developing rat brain slices (763) 232
Sakaguchi, H., see Li, R. (763) 239
Salzet, B., see Stefano, G.B. (763) 63
Salzet, M., see Stefano, G.B. (763) 63
Sato, T., see Irifune, M. (763) 281
Sattelle, D.B., see Aizono, Y. (763) 131
Schallert, T., see Kozlowski, D.A. (763) 159
Schröder, H., see Becker, A. (763) 87
Schröder, N., see De Mattos-Dutra, A. (763) 221
Setoguchi, Y., see Abe, K. (763) 191
Shirai, Y., see Aizono, Y. (763) 131
Sica, A.L., see Ruggiero, D.A. (763) 21
Sims, T.J. and Gilmore, S.A.
Schwann cells can misdirect regrowing neuronal processes (763) 141
Singhal, A., Cheng, C., Sun, H. and Zochodne, D.W.
Near nerve local insulin prevents conduction slowing in experimental diabetes (763) 209
Steele, T., see Fasciano, J. (763) 182
Stefano, G.B., Salzet, B., Rialas, C.M., Pope, M.E., Kustka, A., Neenan, K., Pryor, S. and Salzet, M.
Morphine- and anandamide-stimulated nitric oxide production inhibits presynaptic dopamine release (763) 63
Stevens, J.O., see Diao, L.H. (763) 276
Sugiyama, K., see Irifune, M. (763) 281
Sun, H., see Singhal, A. (763) 209
Swanson, L.W., see Petrovich, G.D. (763) 247

Tamir, H., see Yoder, E.J. (763) 288
Tamura, A., see Tomitaka, S.-i. (763) 255
Tomitaka, S.-i., Hashimoto, K., Narita, N., Minabe, Y. and Tamura, A.
Regionally different effects of scopolamine on NMDA antagonist-induced heat shock protein HSP70 (763) 255

Vaccarino, F.J., see Josselyn, S.A. (763) 93
Vahle-Hinz, C., see Horn, A.C. (763) 47
Van Gaalen, M., Kawahara, H., Kawahara, Y. and Westerink, B.H.C.
The locus coeruleus noradrenergic system in the rat brain studied by dual-probe microdialysis (763) 56
Völgyi, B., Pollák, E., Buzás, P. and Gábriel, R.
Calretinin in neurochemically well-defined cell populations of rabbit retina (763) 79

Wajner, M., see De Mattos-Dutra, A. (763) 221
Watanabe, S., see Miyamoto, A. (763) 137
Westerink, B.H.C., see Van Gaalen, M. (763) 56
Winblad, B., see Bonkale, W.L. (763) 1

Yamamoto, T., see Miyamoto, A. (763) 137
Yoder, E.J., Tamir, H. and Ellisman, M.H.
Serotonin receptors expressed by myelinating Schwann cells in rat sciatic nerve. [Brain Research 753 (1997) 299-308] (763) 288
Yokoyama, K., see Irifune, M. (763) 281

Zhang, L., Joseph, J.A. and Roth, G.S.
Effect of aging on vulnerability of striatal D_1 And D_2 dopamine receptor-containing neurons to kainic acid (763) 264
Zilles, A.C., see De Mattos-Dutra, A. (763) 221
Zochodne, D.W., see Singhal, A. (763) 209